\langle

Central Depository Services (India) Limited

Convenient # Dependable # Secure COMMUNIQUÉ TO DEPOSITORY PARTICIPANTS

CDSL/OPS/DP/REPRT/2023/263

April 28, 2023

HARMONIZATION OF FILE FORMATS ACROSS DEPOSITORY

DPs are hereby informed about the new initiative of SEBI wherein they have formed various Market Data Advisory Committees (MDAC) to bring about standardization and various reforms.

As part of this initiative, CDSL and NSDL have worked on harmonization of various file formats. The harmonized files that are standard across depository will be released to live in phased manner and will be run in parallel with the existing file formats for some time. The old formats will then be phased out.

As a part of this initiative, CDSL is pleased to release the harmonized file formats of ISIN Master (CD03) and Settlement Master (CD07) refer Annexure – A and Annexure – B respectively. The files will be available for download parallelly along with existing reports with the "new" word in filename.

Queries regarding this communiqué may be addressed to CDSL – Helpdesk through email on helpdesk@cdslindia.com or call us on 08069144800.

sd/-

Nilesh Shah Asst. Vice President – Operations

CDSL: your depository
KEYWORD: Reports

REPORT ID: CD03

Report Description: ISIN Details

The following conventions are followed.

- 1.
- The Field Separator between consecutive columns is ',' (Comma). Field Lengths are variable. If two or more Comma are together, it implies that the very next column after the first Comma is null in the database.
- 3. Dates are in Char format.
- 4. Quantity and Amounts are stored with decimal.
- 5. Headers with ISO tags for Header as well as Detail record are also included in the file.
- 6. The file naming convention is same as existing file except for additional " new' word after CD03 in file
- 7. The Record length will be sum of all the maximum size of each column of the record.

Header Record					
Field Description	Data Type	Field Size	Status	Tag	Remarks
Record Type	Integer	2	M	<rpthdr></rpthdr>	Header Record (01)
DP Id	Character	8	М	<cntrlsctiesd pstryPtcpt></cntrlsctiesd 	DP's own DP Id
Full/Incremental Flag	Character	1	M	<fullorincrm tlflg=""></fullorincrm>	F- Full, I - Incremental
Incremental Reference Date/Time	Date	14	0	<incrmtldtt m></incrmtldtt 	Applicable only in case of Incremental. It is a system date from onwards incremental information extracted(YYYYMMDDHHMMSS)
Statement Preparation Date	Date	8	М	<credttm></credttm>	
Statement Preparation Time	Time	6	M	<cretm></cretm>	
Total number of Detail Records	Integer	7	M	<ttlnbofrcrd s></ttlnbofrcrd 	

Detail Record					
Field Description	Data Type	Field Size	Status	Tag	Remarks
Record Type	Integer	2	M	<rpthdr></rpthdr>	Detail Record (02)
Line Number	Integer	7	M	<linenb></linenb>	
ISIN	Character	12	M	<isin></isin>	
National Security Code	Character	9	0	<ntlsctycd></ntlsctycd>	Will be blank for CDSL

ISIN Numeric Code	Number	6	0	<isinnmrcd></isinnmrcd>	
ISIN short name	Character	140	M	<isinshrtnm ></isinshrtnm 	
ISIN Description	Character	290	0	<isindesc></isindesc>	
Company Code/Issuer ID	Character	8	M	<issr0rgid></issr0rgid>	
Company Name/Issuer Name	Character	140	M	<issr0rgnm></issr0rgnm>	
Security Type	Integer	2	M	<fininstrmtp></fininstrmtp>	
Security Type Description	Character	100	0	<fininstrmn m></fininstrmn 	
Security Sub Type	Integer	2	0	<fininstrmtp></fininstrmtp>	
Security Status	Character	2	M	<sctysts></sctysts>	
ISIN Status Description	Character	100		<isinstsdesc ></isinstsdesc 	
Booking Basis	Integer	2	M	<bookgbsis></bookgbsis>	Blank for CDSL
Issue Date	Date	8	0	<issedt></issedt>	
Issuer Address(1)	Character	30	0	<issr0rgpstla dr1></issr0rgpstla 	
Issuer Address(2)	Character	30	0	<issrorgpstla dr2></issrorgpstla 	
Issuer Address(3)	Character	30	0	<issrorgpstla dr3></issrorgpstla 	
Issuer City	Character	25	0	<issrorgcity></issrorgcity>	
Issuer State	Character	25	0	<issr0rgctrys ubDvsn></issr0rgctrys 	
Issuer Country	Character	25	0	<issrorgctry ></issrorgctry 	
Issuer Zip Code	Character	10	0	<issrorgpstc d></issrorgpstc 	
Issuer Phone(1)	Character	17	0	<issrorgphne Nb1></issrorgphne 	
Issuer Phone(2)	Character	17	0	<issrorgphne Nb2></issrorgphne 	
Issuer Fax	Character	17	0	<issrorgfaxn b></issrorgfaxn 	
Issuer Email	Character	80	0	<issrorgemai lAdr></issrorgemai 	
Issuer Contact Person Name	Character	100	0	<issrorgctctp rsn></issrorgctctp 	
Contact Person Designation	Character	40	0	<ctctprsndsg nt></ctctprsndsg 	

Contact Person Address(1)	Character	30	0	<ctctprsnpstl Adr1></ctctprsnpstl
Contact Person Address(2)	Character	30	0	<ctctprsnpstl Adr2></ctctprsnpstl
Contact Person Address(3)	Character	30	0	<ctctprsnpstl Adr3></ctctprsnpstl
Contact Person City	Character	25	0	<ctctprsncity ></ctctprsncity
Contact Person State	Character	25	0	<ctctprsnctry SubDvsn></ctctprsnctry
Contact Person Country	Character	25	0	<ctctprsnctry ></ctctprsnctry
Contact Person Zip Code	Character	10	0	<ctctprsnpst Cd></ctctprsnpst
Contact Person Phone(1)	Character	17	0	<ctctprsnphn eNb1></ctctprsnphn
Contact Person Phone(2)	Character	17	0	<ctctprsnphn eNb2></ctctprsnphn
Contact Person Fax	Character	17	0	<ctctprsnfax Nb></ctctprsnfax
Contact Person Email	Character	80	0	<ctctprsnem ailAdr></ctctprsnem
Share Registrar Code/RTA ID	Character	8	M	<regar></regar>
Share Registrar Name/RTA Name	Character	140	0	<regarnm></regarnm>
SEBI Registration From Date	Character	20	0	<sebirgnfrd t></sebirgnfrd
SEBI Registration To Date	Character	20	0	<sebirgntod t></sebirgntod
RTA Address(1)	Character	30	0	<rtapstladr 1></rtapstladr
RTA Address(2)	Character	30	0	<rtapstladr 2></rtapstladr
RTA Address(3)	Character	30	0	<rtapstladr 3></rtapstladr
RTA City	Character	25	0	<rtacity></rtacity>
RTA State	Character	25	0	<rtactrysub Dvsn></rtactrysub
RTA Country	Character	25	0	<rtactry></rtactry>
RTA Zip Code	Character	10	0	<rtapstcd></rtapstcd>
RTA Phone(1)	Character	17	0	<rtaphnenb 1></rtaphnenb

RTA Phone(2)	Character	17	0	<rtaphnenb 2></rtaphnenb 	
RTA Fax	Character	17	0	<rtafaxnb></rtafaxnb>	
RTA Email	Character	80	0	<rtaemailad r></rtaemailad 	
ISIN Share Name	Character	100	0	<isinshrnm></isinshrnm>	
ISIN Second Name	Character	20	0	<isinscndnm ></isinscndnm 	
ISIN Last Name	Character	20	0	<isinlastnm ></isinlastnm 	
ISIN Address(1)	Character	30	О	<isinpstladr 1></isinpstladr 	
ISIN Address(2)	Character	30	0	<isinpstladr 2></isinpstladr 	
ISIN Address(3)	Character	30	0	<isinpstladr 3></isinpstladr 	
ISIN City	Character	25	0	<isincity></isincity>	
ISIN State	Character	25	0	<isinctrysub Dvsn></isinctrysub 	
ISIN Country	Character	25	0	<isinctry></isinctry>	
ISIN Zip Code	Character	10	0	<isinpstcd></isinpstcd>	
ISIN Phone(1)	Character	17	0	<isinphnenb 1></isinphnenb 	
ISIN Phone(2)	Character	17	0	<isinphnenb 2></isinphnenb 	
ISIN Fax	Character	17	0	<isinfaxnb></isinfaxnb>	
ISIN Email	Character	80	0	<isinemailad r></isinemailad 	
Market Type	Number	2	0	<mkttpandid< td=""><td></td></mkttpandid<>	
Market Type Description	Character	100	0	<mkttpdesc></mkttpdesc>	
Maturity Date/Expiry Date	Date	8	0	<mtrtydt></mtrtydt>	
Convert Date/Conversion Date	Date	8	0	<convsdt></convsdt>	
Decimal allowed	Character	1	M	<dcmlallwd></dcmlallwd>	0 - Not Allowed, 1 - Allowed
ISIN Decimal Code Description	Character	100	0	<isindcmlcd Desc></isindcmlcd 	

Hold Demat Flag	Character	1	0	<hlddmtrlsd Flg></hlddmtrlsd
Hold Remat Flag	Character	1	0	<hldrmtrlsdf lg></hldrmtrlsdf
Market Lot	Number	4	0	<tradlotsz></tradlotsz>
CFI Code	Number	4	0	<clssfctnfini nstrm></clssfctnfini
Face Value /Par Value	Decimal	15,2	0	<faceamt></faceamt>
Paidup Value	Number	16,3	0	<pdamt></pdamt>
Redemption Price	Number	16,3	0	<redpric></redpric>
Redemption Date	Character	11	0	<reddt></reddt>
Close Price	Number	Refer Note - 1	0	<clspric></clspric>
Close Date	Character	11	0	<clsdt></clsdt>
Close Price Decimal Indicator	Number	1	0	<clspricdcmli nd></clspricdcmli
Distinct Range Exists	Character	1	0	<dstnctrgexs tg></dstnctrgexs
ISIN Suspension Flag	Number	1	0	<isinsspnsnf lg></isinsspnsnf
ISIN Suspension Flag Description	Character	100	0	<isinsspnsnf lgDesc></isinsspnsnf
Money Due Date	Character	11	0	<duedt></duedt>
Liquidation / Winding Up Status	Character	1	0	<lqdtnsts></lqdtnsts>
Remarks/Securit y Remark	Character	80	0	<addtlinf></addtlinf>
Convert Amount	Decimal	10	0	<convsamt></convsamt>

REPORT ID: CD07

Report Description: Settlement Details

The following conventions are followed.

- The Field Separator between consecutive columns is ',' (Comma). Field Lengths are variable.
 If two or more Comma are together, it implies that the very next column after the first comma is null in the database.
- 3. Dates are in Char format.
- 4. Quantity and Amounts are stored with decimal.
- Headers with ISO tags for Header as well as Detail record are also included in the file.
 The file naming convention is same as existing file except for additional "_new' word after CD07 in file
- 7. The Record length will be sum of all the maximum size of each column of the record.

Header Record					
Field Description	Data Type	Field Size	Status	Tag	Remarks
Record Type	Integer	2	M	<rpthdr></rpthdr>	Header Record (01)
DP Id	Characte r	8	M	<cntrlsctiesdp stryPtcpt></cntrlsctiesdp 	Blank for CDSL
Full/Incremental Flag	Characte r	1	М	<fullorincrmtl flg=""></fullorincrmtl>	F- Full, I - Incremental
Incremental Ref Date/Time	Date	14	0	<incrmtldttm></incrmtldttm>	Applicable only in case of Incremental report. It is a system date from onwards incremental information extracted
Statement Preparation Date	Date	8	М	<credttm></credttm>	System Date (YYYYMMDD)
Statement Preparation Time	Time	6	M	<cretm></cretm>	System Time(HHMMSS)
Total number of Detail Records	Integer	7	М	<ttlnbofrcrds< td=""><td></td></ttlnbofrcrds<>	

Detail Record					
Field Description	Data Type	Field Size	Status	Tag	Remarks
Record Type	Integer	2	M	<rpthdr></rpthdr>	Detail Record (02)
Line Number	Integer	7	M	<linenb></linenb>	
CC ID/CH ID	Characte r	8	M	<clrsysid></clrsysid>	
CH Name	Characte r	100	0	<clrsysnm></clrsysnm>	
Exchange Id	Number(2	0	<xchg></xchg>	

Exchange Name	Characte r	100	0	<xchgnm></xchgnm>	
CC Market Type/ Settlement Type	Integer	2	М	<mkttpandid></mkttpandid>	
CC Settlement Number / Settlement Id	Characte r	13	M	<sctiessttlmtxi d></sctiessttlmtxi 	
CC Settlement Period From/Settlemen t Start Date	Date	8	M	<sttlmprdfr></sttlmprdfr>	(DATE FORMAT ::YYYYMMDD)
Earmark Date	DateTime	14	0	<earmrkdt></earmrkdt>	(DATE FORMAT ::YYYYMMDDhh24MISS)
CC Pay In Date /Settlement Date	DateTime	14	М	<sttlmdt> OR <payindt></payindt></sttlmdt>	(DATE FORMAT ::YYYYMMDDhh24MISS)
CC Settlement Period To /End Trade Date	Date	8	M	<sttlmprdto></sttlmprdto>	(DATE FORMAT ::YYYYMMDD)
CC Pay Out Date	Date	8	M	<pyoutdt></pyoutdt>	Not applicable for CDSL
CC NSDL Deadline Date	Date	8	0	<nsldddlndt></nsldddlndt>	Not applicable for CDSL
CC NSDL Deadline Time	Time	4	0	<nsldddlntm></nsldddlntm>	Not applicable for CDSL
Auction Settlement Id Record Count	Integer	2	0	<auctnsttmltid RcrdCnt></auctnsttmltid 	
Auction Settlement Id	Characte r	13	0	<auctnsttmltid ></auctnsttmltid 	